

MAX® Faceplates

The MAX series modular faceplates combine high capacity with aesthetic enhancements that provide a fresh new look to match today's technologies. The faceplate offers pressure-release designation label covers which eliminate the need for a probe-pic or screwdriver when installing faceplate labels. The faceplates are designed to be used with the angled or flat MAX modules, hybrid Z-MAX® outlets or TERA® outlets. Its durable finish masks minor scuffs that may occur during daily usage. The single gang faceplate can support up to six outlets and the double gang can support up to twelve outlets.

Quick Identification — Color-coded icons allow users to instantly identify different types of devices or applications

Variety — Faceplates available in black, white, gray, ivory, light ivory, and stainless steel



Labels — Sheets of designation labels can be ordered for use with standard printers



Installation Flexibility
MAX, Z-MAX or TERA outlets can be installed from front or rear of faceplate.



Superior Density
Fits up to 6 outlets in a single gang or 12 in a double gang faceplate.



Labeling
Faceplates include pressure-release designation label covers for quick, tool-less removal.

10G MAX Faceplates

10G MAX Faceplates are required for Z-MAX 6A UTP installations. Isolated port spacing ensures proper Alien Crosstalk performance. Faceplates include designation labels, clear label covers, and mounting screws.

10GMX-FP(XXX)-(XX)

No. of MAX Modules	Faceplate Color
S02 = Two (Single Gang)	01 = Black
S04 = Four (Single Gang)	02 = White
D06 = Six (Double Gang)	20 = Ivory
D08 = Eight (Double Gang)	80 = Light ivory



ⓑ Add "B" to end of part number for bulk project pack of 100 faceplates.

MAX® Faceplates

Faceplates include designation labels, clear label covers, and mounting screws.

MX-FP-S-(XX)-(XX)..... Single Gang

Ports	Faceplate Color
01 = 1 Port	01 = Black
02 = 2 Port	02 = White
03 = 3 Port	04 = Gray
04 = 4 Port	20 = Ivory
06 = 6 Port	80 = Light ivory



MX-FP-D-(XX)-(XX)..... Double Gang

Ports	Faceplate Color
06 = 6 Port	01 = Black
08 = 8 Port	02 = White
12 = 12 Port	04 = Gray
	20 = Ivory
	80 = Light ivory



ⓑ Add "B" to end of part number for bulk project pack of 100 faceplates. *

*Black and gray color options and bulk project packs available for single gang faceplates only.

MAX Stainless Steel Faceplates

Single and double gang stainless steel MAX faceplates for use with flat and angled MAX, hybrid Z-MAX or TERA outlets. Brushed finish on plates mask minor scratches and scuffs that may occur during day-to-day usage.

MX-FP-S-(XX)-SS-(X)..... Single Gang

Ports	Label Options
01 = 1 Port	L = Label Holder
02 = 2 Port	Blank = No Labels or Holder
03 = 3 Port	
04 = 4 Port	
06 = 6 Port	



MX-FP-D-(XX)-SS-(X)..... Double Gang

Ports	Label Options
06 = 6 Port	L = Label Holder
08 = 8 Port	Blank = No Labels or Holder
12 = 12 Port	



10G MAX® Horizontal Faceplates

Simon's 10G single gang horizontal faceplate for Z-MAX®, TERA or MAX modules

10GMX-HFP-(XX)(XX)

Ports	Color
02 = 2 Port	02 = White
03 = 3 Port	20 = Ivory
04 = 4 Port	80 = Light Ivory



ⓑ Add "B" to end of part number for bulk project pack of 100 faceplates.

MAX Horizontal Faceplates

Simon's single gang horizontal faceplate for Z-MAX, TERA or MAX modules

MX-HFP-(XX)(XX)

Ports	Color
01 = 1 Port	02 = White
02 = 2 Port	20 = Ivory
03 = 3 Port	80 = Light Ivory
04 = 4 Port	



Note: Screws, designation label and clear label cover included.

Universal Modular Furniture Adapter



CT-UMA-XX)
 CT® Universal Modular Furniture Adapter, Accepts (1) CT Coupler. Includes faceplate, mounting frame, label and clear label holder




MX-UMA-XX)
 MAX Universal Modular Furniture Adapter, Accepts (4) MAX®, Z-MAX® or TERA® outlets. Includes faceplate, mounting frame, label and clear label holder

Use (XX) To specify color: 01 = black, 02 = white, 04 = gray, 20 = ivory, 80 = light Ivory

MAX® Modular Furniture Adapters

The MAX modular furniture adapters will accept four Z-MAX hybrid outlets, MAX angled or flat modules and snaps directly into communication outlet openings* in most major modular furniture systems. Adapters include designation label and clear label cover to allow for circuit identification.



MX-MFP-XX)

Modular furniture adapter for standard openings including Steelcase

Use (XX) to specify color:
 01 = black, 02 = white, 04 = gray, 20 = ivory,
 80 = light ivory

MX-MFP-HMA-XX)

Modular furniture adapter for Herman Miller Action Office Series 2 and Ethospace base openings

Use (XX) to specify color: 01 = black, 02 = white,
 04 = gray, 20 = ivory

MAX Modular Furniture adapters mount into modular furniture openings, combining superior density with proper circuit designation.

*Furniture outlet openings, panel thickness, and raceway clearance may vary.
 Please consult furniture manufacturer for actual dimensions to determine compatibility.

MAX® Tamper-Proof Faceplate

Siemon's tamper-proof MAX faceplates provide a secure, low profile solution for mounting our complete line of MAX modules. The design features a one-piece base which accepts up to six angled MAX modules and is secured by a solid cover and a choice of tamper-proof star or standard slotted head screw. The base mounts to any standard North American single gang box.

Part #	Description
MX-TFP-S-06-XX)	6-port single gang, tamper-proof faceplate for angled MAX modules

Use (XX) to specify color: 02 = white, 80 = light ivory
 Faceplates include tamper-proof and standard #6-32x1 mounting screws and color-matching screw cover.
 Note: Tamperproof faceplate is not compatible with Z-MAX® or TERA® outlets.



Wall Phone Faceplates

WPJP
 Plastic Wall Phone Faceplate with 2-pair, 6-position USOC jack



MX-WP-XX-SS
 MAX Series Stainless Steel Wall Phone Faceplate with keystone module included



Use (XX) to specify included module:
 Z6 = category 6, Z-MAX, UTP, T568A/B
 Z6A = category 6A, Z-MAX, UTP, T568A/B
 Z6AS = category 6A, Z-MAX, Shielded, T568A/B
 K6 = category 6, MAX, UTP, T568A/B
 K5 = category 5e, MAX, UTP, T568A/B

MAX[®] Duplex and Designer[®] Faceplates

The MAX Duplex and Designer faceplates are designed for use with Siemon's MAX series mounting frames. They are ideal for today's small office, home office, or residential environment. Faceplates include designation labels and color-matching label covers for circuit identification.



DP-S-(XX)
Single gang,
Duplex faceplate



DR-S-(XX)
Single gang,
Designer faceplate



DRE-D-(XX)
Double gang
Designer/Duplex faceplate



DR-D-(XX)
Double gang
Designer faceplate



Use (XX) to specify color: 02 = white, 20 = ivory, 25 = bright white, 80 = light ivory

MAX Mounting Frames

Siemon's MAX mounting frames provide a solution for installing MAX, Z-MAX[®] or TERA outlets in an environment where electrical Duplex or Designer style faceplates are desired. They are compatible with any Duplex or Designer style faceplate. The mounting ears can also be detached and used as spacers between the frames and mounting boxes.

Duplex Mounting Frames

MX-E2F-(XX)
Duplex mounting
frame, accepts
two flat MAX or
Z-MAX outlets



MX-E2A-(XX)
Duplex mounting
frame, accepts
two angled MAX or
Z-MAX outlets



MX-E4F-(XX)
Duplex mounting
frame, accepts
four flat MAX or
Z-MAX outlets



MX-E4A-(XX)
Duplex mounting
frame, accepts
four angled
MAX outlets



MX-D4F-15-(XX)
4-port MAX mounting frame with
HD15 female-female adapter installed
MX-D4F-15E-(XX)
4-port MAX mounting frame,
HD15 cut-out, empty



Designer Mounting Frames

MX-D1Z-(XX)
Designer mounting
frame, accepts one
MAX or Z-MAX outlets



MX-D2Z-(XX)
Designer mounting
frame, accepts two
MAX or Z-MAX outlets



MX-D4Z-(XX)
Designer mounting
frame, accepts four
MAX or Z-MAX outlets



MX-D6F-(XX)
Designer mounting
frame, accepts six flat
MAX or Z-MAX outlets



Use (XX) to specify color: 02 = white, 04 = gray, 20 = ivory, 25 = bright white, 80 = light ivory

NORTH AMERICA

Watertown, CT USA
Phone (1) 860 945 4200 US
Phone (1) 888 425 6165 Canada

EUROPE/MIDDLE EAST/AFRICA

Surrey, England
Phone (44) 0 1932 571771

ASIA/PACIFIC

Shanghai, P.R. China
Phone (86) 21 5385 0303

LATIN AMERICA

Bogota, Colombia
Phone (571) 657 1950